## **10/590275**IAP9 Rec'd PCT/PTO 22 AUG 2006

## SEQUENCE LISTING

<110	> KA	O CO	RPOR	AT IO	N										
<120	> Mu	tant	Bac	illu	S										
<130	> KS	0816	,												
<150 <151					! •										
<160	> 28							•							
<170	> Pa	tent	:In V	er.	3. 1										
<210															
<211		71													
<212	> P	RT													
<213	> E	Bacil	lus	subt	ilis	3									
<400			Lvc	Gln	The	Hic	Glu	Thr	Glu	ريم ا	Thr	Phe	Asp	Gln	Val
1	на	wsh	Lys	5	1111	1113	uiu	1111	10	LCU	••••	1110	ЛОР	15	•••
Lve	Glu	Gln	Leu	Thr	Glu	Ser	GLv	Lvs	lvs	Δrσ	Glv	Val	Leu	Thr	Tvr
Lys	u, u	<b>U</b> 111	20	••••	u.u		α.,	25	_,,	8	,		30		
Glu	Glu	lle	Ala	Glu	Arg	Met	Ser	Ser	Phe	Glu	He	Glu	Ser	Asp	Gln
		35					40					45			
Met		Glu	Tyr	Tyr	Glu		Leu	Gly	Glu	Gln		Val	Glu	Leu	He
	50					55					60				
Ser 65	Glu	Asn	Glu	Glu	Thr 70	Glu	Asp	Pro	Asn	11e 75	Gln	Gln	Leu	Ala	Lys 80
UU					, ,					, ,					
Ala	Glu	Glu	Glu	Phe 85	Asp	Leu	Asn	Asp	Leu 90	Ser	Val	Pro	Pro	Gly 95	Val
				οIJ					90					<b>J</b> J	
Lys	He	Asn	Asp	Pro	Val	Arg	Met	Tyr 105		Lys	Glu	He	Gly 110	Arg	Val

Asn Leu Leu Ser Ala Lys Glu Glu lle Ala Tyr Ala Gln Lys lle Glu 115 120 125

Glu Gly Asp Glu Glu Ser Lys Arg Arg Leu Ala Glu Ala Asn Leu Arg 130 135 140

Leu Val Val Ser lle Ala Lys Arg Tyr Val Gly Arg Gly Met Leu Phe 145 150 155 160

Leu Asp Leu IIe His Glu Gly Asn Met Gly Leu Met Lys Ala Val Glu 165 170 175

Lys Phe Asp Tyr Arg Lys Gly Tyr Lys Phe Ser Thr Tyr Ala Thr Trp 180 185 190

Trp lle Arg Gln Ala lle Thr Arg Ala lle Ala Asp Gln Ala Arg Thr 195 200 205

lle Arg lle Pro Val His Met Val Glu Thr lle Asn Lys Leu lle Arg 210 215 220

Val Gln Arg Gln Leu Leu Gln Asp Leu Gly Arg Glu Pro Thr Pro Glu 225 230 235 240

Glu lle Ala Glu Asp Met Asp Leu Thr Pro Glu Lys Val Arg Glu lle 245 250 255

Leu Lys IIe Ala Gin Giu Pro Val Ser Leu Giu Thr Pro IIe Gly Giu 260 265 270

Glu Asp Asp Ser His Leu Gly Asp Phe lle Glu Asp Gln Glu Ala Thr 275 280 285

Ser Pro Ser Asp His Ala Ala Tyr Glu Leu Leu Lys Glu Gln Leu Glu 290 295 300 Asp Val Leu Asp Thr Leu Thr Asp Arg Glu Glu Asn Val Leu Arg Leu 305 310 315 320

Arg Phe Gly Leu Asp Asp Gly Arg Thr Arg Thr Leu Glu Glu Val Gly 325 330 335

Lys Val Phe Gly Val Thr Arg Glu Arg lle Arg Gln lle Glu Ala Lys 340 345 350

Ala Leu Arg Lys Leu Arg His Pro Ser Arg Ser Lys Arg Leu Lys Asp 355 360 365

Phe Leu Glu 370

٠

<210> 2

<211> 1047

<212> DNA

<213> Bacillus subtilis

<400> 2 acagocttto ttootoatto tggacgagot tgaagaccot cataatottg gttocattat 60 gaggacagca gatgcggtcg gcgctcatgg catcgtcatt ccaaaacgga gagctgtcgg 120 gctgacaaca acagtggcaa aagcttcaac aggagcaatt gagcacattc ctgtagcaag 180 agtcaccaat ttggcacgga cgttagaaga gatgaaagag cggggaatct gggttgtcgg 240 aacggatgcg tccgcgcgtg aggatttccg taatatggac ggcaatatgc ctttggctct 300 agtcatcgga agtgaaggaa aagggatggg ccgccttgtg aaggaaaagt gcgattttct 360 cattaaactc ccgatggccg gaaaggtaac ttcactaaat gcatctgtcg cggctggtct 420 tttgatgtat gaagtctacc ggaaacgaaa ccctgtggga gaataaagac ccatggatat 480 cctgttagta gacgggtaca acatgattgg agcctggccg cagctgaagg atttaaaagc 540 gaacagtttt gaagaggcga gagacgtact gattcagaaa atggcggaat atcaatcgta 600 660 tacaggaaac agggttattg ttgttttga cgcgcatctc gtaaaagggc ttgagaaaaa 720 acagaccaac catagagttg aagtaatttt tacaaaagaa aatgagacgg ctgatgagcg

gatagaaaag ctcgctcagg ctttgaataa tattgcgact caaattcacg ttgcgacctc 780
tgactatact gagcagtggg cgattttcgg acagggggca ttgcggaaat cggcccggga 840
gcttctgaga gaggtagaaa cgattgaaag gcgaatagag agacgggtaa gaaaaatcac 900
ttccgaaaag ccggcgggta aaattgcttt atcggaagag gtttgaaaa cgtttgaaaa 960
gtggaggcgg ggagacttag attaagttga cgctttttg cccaatactg tataatattt 1020
ctatctacgt gcgccggggg gatcgga 1047

<210> 3

<211> 1143

<212> DNA

<213> Bacillus subtilis

<400> 3 60 gctgatagaa cgtgacacgg gaaaagtgct ttacaacaag aacagcaatg agagactggc 120 gcctgcaagc atgacgaaaa ttatgacgat gcttttgatt atggaagctt tagataaagg caaaatcaaa atgagtgata aggtccgtac aagcgagcat gcggcgtcaa tgggcggctc 180 240 acagatatto cttgagocog gogaagaaat gactgtcaaa gaaatgotga aaggoatogo 300 aatcgcttcg ggaaatgacg cttccgtcgc catggctgaa tttatttccg gctctgaaga 360 agaatttgtg aagaaaatga ataaaaaagc aaaagagctg ggattgaaaa atacatcctt 420 taaaaaccca acaggactga ccgaggaagg acactacagc tctgcttatg acatggcaat 480 catggctaag gaattattga aatacgaatc aattacgaag tttaccggca cgtatgaaga 540 ttatctgcgt gaaaatacag ataaaaagtt ttggcttgta aatacaaatc gccttatcaa 600 attttatcct ggtgtagacg gcgtaaaaac aggctataca ggcgaagcga aatattgtct 660 gactgcttcg gctaaaaaag gaaacatgcg ggccatagcg gttgtattcg gagcgagcac 720 gcctaaagaa agaaacgcgc aagtgacaaa aatgcttgac ttcgccttta gccaatatga aacgcatcct ttatataaac gaaatcaaac agtagcaaaa gtaaaggtca aaaaagggaa 780 840 acaaaaattt atcgaactca ctacatctga gccgatttca atattgacga aaaaaggcga ggatatgaac gatgtgaaaa aagaaatcaa gatgaaggac aatattagtg ctccgattca 900 aaaaggccaa gagcttggca ctcttgttct gaaaaaggat ggagaagtac tcgctgaaag 960
tcctgttgct gcaaaagaag atatgaagaa agccgggttt atcacattct taaagcggac 1020
gatgggagac tggacaaaat ttaagtaatt atgccgaatg accactagtt ttgtcacggt 1080
gaaggaattc attccgtcga aatcgaaaca ctcattatcc gatcatatca aggaggaatg 1140
agc 1143

<210> 4

•

<211> 795

<212> PRT

<213> Bacillus sp. KSM-S237

<400> 4

Ala Glu Gly Asn Thr Arg Glu Asp Asn Phe Lys His Leu Leu Gly Asn 1 5 10 15

Asp Asn Val Lys Arg Pro Ser Glu Ala Gly Ala Leu Gln Leu Gln Glu 20 25 30

Val Asp Gly Gln Met Thr Leu Val Asp Gln His Gly Glu Lys lle Gln 35 40 45

Leu Arg Gly Met Ser Thr His Gly Leu Gln Trp Phe Pro Glu IIe Leu 50 55 60

Asn Asp Asn Ala Tyr Lys Ala Leu Ser Asn Asp Trp Asp Ser Asn Met 65 70 75 80

lle Arg Leu Ala Met Tyr Val Gly Glu Asn Gly Tyr Ala Thr Asn Pro 85 90 95

Glu Leu lle Lys Gln Arg Val lle Asp Gly lle Glu Leu Ala lle Glu 100 105 110

Asn Asp Met Tyr Val IIe Val Asp Trp His Val His Ala Pro Gly Asp 115 120 125 Pro Arg Asp Pro Val Tyr Ala Gly Ala Lys Asp Phe Phe Arg Glu lle Ala Ala Leu Tyr Pro Asn Asn Pro His Ile Ile Tyr Glu Leu Ala Asn Glu Pro Ser Ser Asn Asn Gly Gly Ala Gly Ile Pro Asn Asn Glu Glu Gly Trp Lys Ala Val Lys Glu Tyr Ala Asp Pro lle Val Glu Met Leu Arg Lys Ser Gly Asn Ala Asp Asp Asn ile ile Ile Val Gly Ser Pro Asn Trp Ser Gln Arg Pro Asp Leu Ala Ala Asp Asn Pro Ile Asp Asp His His Thr Met Tyr Thr Val His Phe Tyr Thr Gly Ser His Ala Ala Ser Thr Glu Ser Tyr Pro Ser Glu Thr Pro Asn Ser Glu Arg Gly Asn Val Met Ser Asn Thr Arg Tyr Ala Leu Glu Asn Gly Val Ala Val Phe Ala Thr Glu Trp Gly Thr Ser Gln Ala Ser Gly Asp Gly Gly Pro Tyr Phe Asp Glu Ala Asp Val Trp Ile Glu Phe Leu Asn Glu Asn Asn lle Ser Trp Ala Asn Trp Ser Leu Thr Asn Lys Asn Glu Val Ser Gly

ċ

- Ala Phe Thr Pro Phe Glu Leu Gly Lys Ser Asn Ala Thr Asn Leu Asp 325 330 335
- Pro Gly Pro Asp His Val Trp Ala Pro Glu Glu Leu Ser Leu Ser Gly 340 345 350
- Glu Tyr Val Arg Ala Arg lle Lys Gly Val Asn Tyr Glu Pro lle Asp 355 360 365
- Arg Thr Lys Tyr Thr Lys Val Leu Trp Asp Phe Asn Asp Gly Thr Lys 370 375 380
- Gln Gly Phe Gly Val Asn Ser Asp Ser Pro Asn Lys Glu Leu IIe Ala 385 390 395 400
- Val Asp Asn Glu Asn Asn Thr Leu Lys Val Ser Gly Leu Asp Val Ser 405 410 415
- Asn Asp Val Ser Asp Gly Asn Phe Trp Ala Asn Ala Arg Leu Ser Ala 420 425 430
- Asn Gly Trp Gly Lys Ser Val Asp IIe Leu Gly Ala Glu Lys Leu Thr 435 440 445
- Met Asp Val IIe Val Asp Glu Pro Thr Thr Val Ala IIe Ala Ala IIe 450 455 460
- Pro Gln Ser Ser Lys Ser Gly Trp Ala Asn Pro Glu Arg Ala Val Arg 465 470 475 480
- Val Asn Ala Glu Asp Phe Val Gln Gln Thr Asp Gly Lys Tyr Lys Ala 485 490 495
- Gly Leu Thr Ile Thr Gly Glu Asp Ala Pro Asn Leu Lys Asn Ile Ala 500 505 510

Phe His Glu Glu Asp Asn Asn Met Asn Asn IIe IIe Leu Phe Val Gly 515 520 525

Thr Asp Ala Ala Asp Val IIe Tyr Leu Asp Asn IIe Lys Val IIe Gly 530 535 540

Thr Glu Val Glu IIe Pro Val Val His Asp Pro Lys Gly Glu Ala Val 545 550 555 560

Leu Pro Ser Val Phe Glu Asp Gly Thr Arg Gln Gly Trp Asp Trp Ala 565 570 575

Gly Glu Ser Gly Val Lys Thr Ala Leu Thr lle Glu Glu Ala Asn Gly 580 585 590

Ser Asn Ala Leu Ser Trp Glu Phe Gly Tyr Pro Glu Val Lys Pro Ser 595 600 605

Asp Asn Trp Ala Thr Ala Pro Arg Leu Asp Phe Trp Lys Ser Asp Leu 610 615 620

Val Arg Gly Glu Asn Asp Tyr Val Ala Phe Asp Phe Tyr Leu Asp Pro 625 630 635 640

Val Arg Ala Thr Glu Gly Ala Met Asn Ile Asn Leu Val Phe Gln Pro 645 650 655

Pro Thr Asn Gly Tyr Trp Val Gln Ala Pro Lys Thr Tyr Thr 11e Asn 660 665 670

Phe Asp Glu Leu Glu Glu Ala Asn Gln Val Asn Gly Leu Tyr His Tyr 675 680 685

Glu Val Lys IIe Asn Val Arg Asp IIe Thr Asn IIe Gln Asp Asp Thr 690 695 700

Leu Leu Arg Asn Met Met Ile Ile Phe Ala Asp Val Glu Ser Asp Phe

Ala Gly Arg Val Phe Val Asp Asn Val Arg Phe Glu Gly Ala Ala Thr 725 730 735

Thr Glu Pro Val Glu Pro Glu Pro Val Asp Pro Gly Glu Glu Thr Pro
740 745 750

Pro Val Asp Glu Lys Glu Ala Lys Lys Glu Gln Lys Glu Ala Glu Lys 755 760 765

Glu Glu Lys Glu Ala Val Lys Glu Glu Lys Lys Glu Ala Lys Glu Glu 770 775 780

Lys Lys Ala Val Lys Asn Glu Ala Lys Lys Lys 785 790 795

710

<210> 5

<211> 3150

<212> DNA

<213> Bacillus sp. KSM-S237

<220>

<221> CDS

<222> (573).. (3044)

<223>

<220>

<221> sig\_peptide

<222> (573).. (659)

<223>

<220>

<221> mat\_peptide

<222> (660).. (3044)

<223>

<400> 5

gatttgccga tgcaacaggc ttatatttag aggaaatttc tttttaaatt gaatacggaa

taaaatcagg taaacaggtc ctgattttat ttttttgagt tttttagaga actgaagatt 120

gaaataaaag tagaagacaa aggacataag aaaattgcat tagttttaat tatagaaaac 180

gcctttttat aattattat acctagaacg aaaatactgt ttcgaaagcg gtttactata	240
aaaccttata ttccggctct tttttaaaac agggggtaaa aattcactct agtattctaa	300
tttcaacatg ctataataaa tttgtaagac gcaatatgca tctcttttt tacgatatat	360
gtaagcggtt aaccttgtgc tatatgccga tttaggaagg ggggtagatt gagtcaagta	420
gtaataatat agataactta taagttgttg agaagcagga gagcatctgg gttactcaca	480
agtttttta aaactttaac gaaagcactt toggtaatgc ttatgaattt agctatttga	540
ttcaattact ttaaaaatat ttaggaggta at atg atg tta aga aag aaa aca Met Met Leu Arg Lys Lys Thr -25	593
aag cag ttg att tct tcc att ctt att tta gtt tta ctt cta tct tta Lys Gin Leu IIe Ser Ser IIe Leu IIe Leu Val Leu Leu Ser Leu -20 -15 -10	641
ttt ccg gca gct ctt gca gca gaa gga aac act cgt gaa gac aat ttt Phe Pro Ala Ala Leu Ala Ala Glu Gly Asn Thr Arg Glu Asp Asn Phe -5 -1 1 5 10	689
aaa cat tta tta ggt aat gac aat gtt aaa cgc cct tct gag gct ggc Lys His Leu Leu Gly Asn Asp Asn Val Lys Arg Pro Ser Glu Ala Gly 15 20 25	737
gca tta caa tta caa gaa gtc gat gga caa atg aca tta gta gat caa Ala Leu Gln Leu Gln Glu Val Asp Gly Gln Met Thr Leu Val Asp Gln 30 35 40	785
cat gga gaa aaa att caa tta cgt gga atg agt aca cac gga tta cag His Gly Glu Lys Ile Gln Leu Arg Gly Met Ser Thr His Gly Leu Gln 45 50 55	833
tgg ttt cct gag atc ttg aat gat aac gca tac aaa gct ctt tct aac Trp Phe Pro Glu IIe Leu Asn Asp Asn Ala Tyr Lys Ala Leu Ser Asn 60 65 70	881
gat tgg gat tcc aat atg att cgt ctt gct atg tat gta ggt gaa aat Asp Trp Asp Ser Asn Met IIe Arg Leu Ala Met Tyr Val Gly Glu Asn 75 80 85 90	929
ggg tac gct aca aac cct gag tta atc aaa caa aga gtg att gat gga Gly Tyr Ala Thr Asn Pro Glu Leu IIe Lys Gln Arg Val IIe Asp Gly 95 100 105	977

att He	gag Glu	tta Leu	gcg Ala 110	att He	gaa Glu	aat Asn	gac Asp	atg Met 115	tat Tyr	gtt Val	att He	gtt Val	gac Asp 120	tgg Trp	cat His	1025
gtt Val	cat His	gcg Ala 125	cca Pro	ggt Gly	gat Asp	cct Pro	aga Arg 130	gat Asp	cct Pro	gtt Val	tat Tyr	gca Ala 135	ggt Gly	gct Ala	aaa Lys	1073
gat Asp	ttc Phe 140	ttt Phe	aga Arg	gaa Glu	att He	gca Ala 145	gct Ala	tta Leu	tac Tyr	cct Pro	aat Asn 150	aat Asn	cca Pro	cac His	att He	1121
att Ile 155	tat Tyr	gag Glu	tta Leu	gcg Ala	aat Asn 160	gag Glu	ccg Pro	agt Ser	agt Ser	aat Asn 165	aat Asn	aat Asn	ggt Gly	gga Gly	gca Ala 170	1169
ggg Gly	att He	ccg Pro	aat Asn	aac Asn 175	gaa Glu	gaa Glu	ggt Gly	tgg Trp	aaa Lys 180	gcg Ala	gta Val	aaa Lys	gaa Glu	tat Tyr 185	gct Ala	1217
								aaa Lys 195						Asp		1265
He	He	11e 205	Val	Gly	Ser	Pro	Asn 210		Ser	Gln	Arg	Pro 215	Asp	Leu	Ala	1313
Ala	Asp 220	Asn	Pro	lle	Asp	Asp 225	His	cat His	Thr	. Met	Tyr 230	Thr	Val	His	Phe	1361
Tyr 235	Thr	Gly	Ser	His	Ala 240	Ala	Ser		Glu	Ser 245	Tyr	Pro	Ser	Glu	Thr 250	1409
Pro	Asn	Ser	Glu	Arg 255	Gly	Asn	Val	atg Met	Ser 260	Asn	Thr	Arg	Tyr	Ala 265	Leu	1457
Glu	Asn	Gly	Val 270	Ala	Val	Phe	Ala	aca Thr 275	Glu	Trp	Gly	' Thr	Ser 280	Gln	Ala	1505
Ser	Gly	Asp 285	Gly	Gly	Pro	Tyr	Phe 290	)	Glu	Ala	Asp	Val 295	Trp	lle	Glu	1553
ttt	tta	aat	gaa	aac	aac	att	ago	tgg:	gct	aac	tgg	g tot	tta	acg	aat	1601

Phe	Leu 300	Asn	Glu	Asn	Asn	11e 305	Ser	Trp	Ala	Asn	Trp 310	Ser	Leu	Thr	Asn	
				tct Ser												1649
aac Asn	gca Ala	acc Thr	aat Asn	ctt Leu 335	gac Asp	cca Pro	ggt Gly	cca Pro	gat Asp 340	cat His	gtg Val	tgg Trp	gca Ala	cca Pro 345	gaa Glu	1697
				tct Ser												1745
				atc He												1793
				acg Thr												1841
				att He							Asn					1889
				gta Val 415	Ser										Ala	1937
									Gly					He	tta Leu	1985
			Lys	ctt Leu				Val					Pro		acg Thr	2033
		He										Gly			aat Asn	2081
	Glu			gtt Val		Val					Phe				acg Thr 490	2129
gac Asp	ggt	aag Lys	tat Tyr	aaa Lys	gct Ala	gga Gly	tta Leu	aca Thr	att lle	aca Thr	gga Gly	gaa Glu	gat Asp	gct Ala	cct Pro	2177

.

4	195	500	505	
aac cta aaa aat a Asn Leu Lys Asn I 510				
atc att ctg ttc g lle lle Leu Phe V 525	/al Gly Thr A			
aac att aaa gta a Asn IIe Lys Val I 540		ilu Val Glu lle		
cca aaa gga gaa g Pro Lys Gly Glu A 555				
caa ggt tgg gac t Gin Gly Trp Asp 1 5				
att gaa gaa gca a lle Glu Glu Ala / 590				
cca gaa gta aaa d Pro Glu Val Lys I 605	Pro Ser Asp A			
ttc tgg aaa tct g Phe Trp Lys Ser g 620				
gat ttc tat cta Asp Phe Tyr Leu 635	gat cca gtt c Asp Pro Val A 640	cgt gca aca gaa Arg Ala Thr Glu 645	ggc gca atg aat Gly Ala Met Asn	atc 2609   11e   650
aat tta gta ttc Asn Leu Val Phe				Pro
aaa acg tat acg Lys Thr Tyr Thr 670	att aac ttt g lle Asn Phe A	gat gaa tta gag Asp Glu Leu Glu 675	gaa gcg aat caa Glu Ala Asn Gln 680	gta 2705 Val
aat ggt tta tat Asn Gly Leu Tyr 685	His Tyr Glu \	gtg aaa att aac Val Lys Ile Asn 690	gta aga gat att Val Arg Asp lle 695	aca 2753 Thr

¢

aac Asn	att IIe 700	caa GIn	gat Asp	gac Asp	acg Thr	tta Leu 705	cta Leu	cgt Arg	aac Asn	atg Met	atg Met 710	atc Ile	att lle	ttt Phe	gca Ala	2801
gat Asp 715	gta Val	gaa Glu	agt Ser	gac Asp	ttt Phe 720	gca Ala	ggg Gly	aga Arg	gtc Val	ttt Phe 725	gta Val	gat Asp	aat Asn	gtt Val	cgt Arg 730	2849
ttt Phe	gag Glu	ggg Gly	gct Ala	gct Ala 735	act Thr	act Thr	gag Glu	ccg Pro	gtt Val 740	gaa Glu	cca Pro	gag Glu	cca Pro	gtt Val 745	gat Asp	2897
		gaa Glu														2945
		gaa Glu 765														2993
		gct Ala														3041
aaa Lys 795	taa	tcta	tta	aact	agtt	at a	gggt	tato	t aa:	aggt	ctga	tgt	agat	ctt		3094
tta	gata	acc	tttt	tctt	gc a	taac	tgga	c ac	agag	ttgt	tat	taaa	gaa	agta	ag	3150
<21 <21 <21 <21	1> 2>	6 793 PRT Baci	llus	sp.	KSM	-64										
<40	0>	6														
Ala 1	Glu	Gly	Asn	Thr 5	Arg	Glu	Asp	Asn	Phe 10	Lys	His	Leu	Leu	Gly 15	Asn	
		W - 1	_		_	_	0.1	A 1 -	٥.			0.1			0.1	
Asp	Asn	vai	Lys 20	Arg	: Pro	Ser	Glu	25	Gly	Ala	Leu	GIN	30	GIN	Glu	

ċ

Leu Arg Gly Met Ser Thr His Gly Leu Gln Trp Phe Pro Glu Ile Leu Asn Asp Asn Ala Tyr Lys Ala Leu Ala Asn Asp Trp Glu Ser Asn Met lle Arg Leu Ala Met Tyr Val Gly Glu Asn Gly Tyr Ala Ser Asn Pro Glu Leu lle Lys Ser Arg Val lle Lys Gly lle Asp Leu Ala lle Glu Asn Asp Met Tyr Val IIe Val Asp Trp His Val His Ala Pro Gly Asp Pro Arg Asp Pro Val Tyr Ala Gly Ala Glu Asp Phe Phe Arg Asp !le Ala Ala Leu Tyr Pro Asn Asn Pro His Ile Ile Tyr Glu Leu Ala Asn Glu Pro Ser Ser Asn Asn Gly Gly Ala Gly Ile Pro Asn Asn Glu Glu Gly Trp Asn Ala Val Lys Glu Tyr Ala Asp Pro lle Val Glu Met Leu Arg Asp Ser Gly Asn Ala Asp Asp Asn lie lie Val Gly Ser Pro Asn Trp Ser Gln Arg Pro Asp Leu Ala Ala Asp Asn Pro 11e Asp Asp His His Thr Met Tyr Thr Val His Phe Tyr Thr Gly Ser His Ala

Ala Ser Thr Glu Ser Tyr Pro Pro Glu Thr Pro Asn Ser Glu Arg Gly Asn Val Met Ser Asn Thr Arg Tyr Ala Leu Glu Asn Gly Val Ala Val Phe Ala Thr Glu Trp Gly Thr Ser Gln Ala Asn Gly Asp Gly Gly Pro Tyr Phe Asp Glu Ala Asp Val Trp Ile Glu Phe Leu Asn Glu Asn Asn 290° lle Ser Trp Ala Asn Trp Ser Leu Thr Asn Lys Asn Glu Val Ser Gly Ala Phe Thr Pro Phe Glu Leu Gly Lys Ser Asn Ala Thr Ser Leu Asp Pro Gly Pro Asp Gln Val Trp Val Pro Glu Glu Leu Ser Leu Ser Gly Glu Tyr Val Arg Ala Arg lie Lys Gly Val Asn Tyr Glu Pro lie Aspara 🕕 Arg Thr Lys Tyr Thr Lys Val Leu Trp Asp Phe Asn Asp Gly Thr Lys Gin Gly Phe Gly Val Asn Gly Asp Ser Pro Val Glu Asp Val Val lie Glu Asn Glu Ala Gly Ala Leu Lys Leu Ser Gly Leu Asp Ala Ser Asn 

Asp Val Ser Glu Gly Asn Tyr Trp Ala Asn Ala Arg Leu Ser Ala Asp

Gly Trp Gly Lys Ser Val Asp lle Leu Gly Ala Glu Lys Leu Thr Met 435 440 445

ð

- Asp Val lie Val Asp Glu Pro Thr Thr Val Ser lie Ala Ala lie Pro 450 455 460
- Gin Gly Pro Ser Ala Asn Trp Val Asn Pro Asn Arg Ala ile Lys Val 465 470 475 480
- Glu Pro Thr Asn Phe Val Pro Leu Gly Asp Lys Phe Lys Ala Glu Leu 485 490 495
- Thr lle Thr Ser Ala Asp Ser Pro Ser Leu Glu Ala IIe Ala Met His 500 505 510
- Ala Glu Asn Asn Asn IIe Asn Asn IIe IIe Leu Phe Val Gly Thr Glu 515 520 525
- Gly Ala Asp Val Ile Tyr Leu Asp Asn Ile Lys Val Ile Gly Thr Glu 530 535 540
- Val Glu lle Pro Val Val His Asp Pro Lys Gly Glu Ala Val Leu Pro 545 550 555 560

5 11.

- Ser Val Phe Glu Asp Gly Thr Arg Gln Gly Trp Asp Trp Ala Gly Glu 565 570 575
- Ser Gly Val Lys Thr Ala Leu Thr lle Glu Glu Ala Asn Gly Ser Asn 580 585 590
- Ala Leu Ser Trp Glu Phe Gly Tyr Pro Glu Val Lys Pro Ser Asp Asn 595 600 605
- Trp Ala Thr Ala Pro Arg Leu Asp Phe Trp Lys Ser Asp Leu Val Arg 610 615 620
- Gly Glu Asn Asp Tyr Val Thr Phe Asp Phe Tyr Leu Asp Pro Val Arg

Ala Thr Glu Gly Ala Met Asn lle Asn Leu Val Phe Gln Pro Pro Thr 

Asn Gly Tyr Trp Val Gln Ala Pro Lys Thr Tyr Thr lle Asn Phe Asp 

Glu Leu Glu Glu Ala Asn Gln Val Asn Gly Leu Tyr His Tyr Glu Val 

Lys lle Asn Val Arg Asp lle Thr Asn lle Gln Asp Asp Thr Leu Leu 

Arg Asn Met Met IIe IIe Phe Ala Asp Val Glu Ser Asp Phe Ala Gly 

Arg Val Phe Val Asp Asn Val Arg Phe Glu Gly Ala Ala Thr Thr Glu 

Pro Val Glu Pro Glu Pro Val Asp Pro Gly Glu Glu Thr Pro Pro Val 

Asp Glu Lys Glu Ala Lys Lys Glu Gln Lys Glu Ala Glu Lys Glu Glu 

Lys Glu Ala Val Lys Glu Glu Lys Lys Glu Ala Lys Glu Glu Lys Lys 

Ala lle Lys Asn Glu Ala Thr Lys Lys 

<210> 

<211> 

<212> DNA

Bacillus sp. KSM-64 <213>

<220>

<221> CDS <222> (610) (3075) <223>	
<pre>&lt;220&gt; &lt;221&gt; sig_peptide &lt;222&gt; (610) (696) &lt;223&gt;</pre>	
<pre>&lt;220&gt; &lt;221&gt; mat_peptide &lt;222&gt; (697)(3075) &lt;223&gt;</pre>	
<pre>&lt;400&gt; 7 agtacttacc attttagagt caaaagatag aagccaagca ggatttgccg atgcaaccgg</pre>	60
cttatattta gagggaattt ctttttaaat tgaatacgga ataaaatcag gtaaacaggt	120
cctgatttta ttttttgaa ttttttgag aactaaagat tgaaatagaa gtagaagaca	180
acggacataa gaaaattgta ttagttttaa ttatagaaaa cgcttttcta taattattta	240
tacctagaac gaaaatactg tttcgaaagc ggtttactat aaaaccttat attccggctc	300
ttttttaaa cagggggtga aaattcactc tagtattcta atttcaacat gctataataa	360
attigtaaga cgcaatatac atcittitt tatgatatti gtaagcggit aaccitgigc	420
tatatgccga titaggaagg gggtagatig agtcaagtag tcataatita gataacttat	480
aagttgttga gaagcaggag agaatctggg ttactcacaa gtttttaaa acattatcga	540
aagcacttc ggttatgctt atgaatttag ctatttgatt caattacttt aataattta	600
ggaggtaat atg atg tta aga aag aaa aca aag cag ttg att tct tcc att Met Met Leu Arg Lys Lys Thr Lys Gln Leu Ile Ser Ser Ile -25 -20	651
ctt att tta gtt tta ctt cta tct tta ttt ccg aca gct ctt gca gca Leu IIe Leu Val Leu Leu Leu Ser Leu Phe Pro Thr Ala Leu Ala Ala -15 -10 -5 -1 1	699
gaa gga aac act cgt gaa gac aat ttt aaa cat tta tta ggt aat gac Glu Gly Asn Thr Arg Glu Asp Asn Phe Lys His Leu Leu Gly Asn Asp 5 10 15	747
aat gtt aaa cgc cct tct gag gct ggc gca tta caa tta caa gaa gtc Asn Val Lys Arg Pro Ser Glu Ala Gly Ala Leu Gln Leu Gln Glu Val	795

									cat His							843
									tgg Trp							891
									gat Asp 75							939
-									ggc Gly							987
									ata Ile							1035
									gta Val							1083
									gat Asp							1131
									att He 155							1179
	_	_		Asn				-	ggg Gly							1227
ggt Gly	tgg Trp	aat Asn 180	Ala	gta Val	aaa Lys	gaa Glu	tac Tyr 185	Ala	gat Asp	cca Pro	att He	gta Val 190	gaa Glu	atg Met	tta Leu	1275
		Ser							att He							1323
	Trp								gct Ala		Asn					1371

		atg Met									1419
		agc Ser 245									1467
		aac Asn									1515
		tgg Trp									1563
		gca Ala									1611
		aac Asn									1659
		ttc Phe 325									1707
		caa Gln									1755
_	Arg	gct Ala	_	lle	Lys				Pro		1803
		acg Thr									1851
		gtg Val		Gly							1899
		ggc Gly 405	Ala				Gly				1947

	tct Ser															1995
tgg Trp	gga Gly 435	aaa Lys	agt Ser	gtt Val	gat Asp	att Ile 440	tta Leu	ggt Gly	gct Ala	gaa Glu	aaa Lys 445	ctt Leu	act Thr	atg Met	gat Asp	2043
	att lle															2091
	cca Pro															2139
	act Thr															2187
ata He	act Thr	tca Ser 500	gct Ala	gac Asp	tct Ser	cca Pro	tcg Ser 505	Leu	gaa Glu	gct Ala	att lle	gcg Ala 510	atg Met	cat His	gct Ala	2235
Glu	aat Asn 515						lle					Gly				2283
gct Ala 530		gtt Val	atc Ile	tat Tyr	tta Leu 535	Asp	aac Asn	att He	aaa Lys	gta Val 540	lle	gga Gly	aca Thr	gaa Glu	gtt `Val <sup>:</sup> 545	2331
	att lle				His					Glu					Ser	2379
Val	Phe	Glu	Asp 565	Gly	Thr	Arg	Gln	Gly 570	Trp	Asp	Trp	Ala	Gly 575	Glu		2427
ggt Gly	gtg Val	Lys 580	Thr	gct	tta Leu	aca Thr	att lle 585	Glu	gaa Glu	gca Ala	aac Asn	ggt Gly 590	Ser	aac Asn	gcg Ala	2475
		Trp					Pro					Ser			tgg Trp	2523
gca	aca	gct	cca	cgt	tta	gat	ttc	tgg	aaa	tct	gac	ttg	gtt	cgc	ggt	2571

Ala 610	Thr	Ala	Pro	Arg	Leu 615	Asp	Phe	Trp	Lys	Ser 620	Asp	Leu	Val	Arg	Gly 625	
_		_		_		ttt Phe										2619
						atc lle										2667
						cca Pro										2715
						gta Val 680										2763
						aca Thr										2811
					Phe	gca Ala										2859
_		_	_	Asn	_	cgt Arg			Gly					Glu		2907
			Glu			gat Asp		Gly					Pro		gat Asp	2955
		Glu				gaa Glu 760	Gln					Lys				3003
	Ala					aag Lys					Glu					3051
					Thr	aaa Lys			tcta	ata	aact	agtt	at a	gggt	tatct	3105
aaa	ggtc	tga	tgca	gato	tt t	taga	taac	c tt	tttt	tgca	taa	ctgg	aca	taga	atggtt	3165

attaaagaaa gcaaggtgtt tatacgatat taaaaaaggta gcgattttaa attgaaacct 3225 3285 ttaataatgt cttgtgatag aatgatgaag taatttaaga gggggaaacg aagtgaaaac 3332 ggaaatttot agtagaagaa aaacagacca agaaatactg caagctt <210> 8 <211> 20 <212> DNA <213> artificial sequence <220> <223> Oligonucleotide as PCR primer designed from nucleotide sequence o f sigA in Bacillus subtilis <400> 8 atggctgata aacaaaccca 20 <210> 9 <211> 20 <212> DNA <213> artificial sequence <220> <223> Oligonucleotide as PCR primer designed from nucleotide sequence o f sigA in Bacillus subtilis 100 <400> 9 caccacaatg ttcatttgca 20 <210> 10 <211> 21 <212> DNA <213> artificial sequence <220> <223> Oligonucleotide as PCR primer designed from nucleotide sequence o f the upstream region of sigH in Bacillus subtilis <400> 10 acagoctttc ttcctcattc t 21 <210> 11 <211> 42

<212> DNA

```
<213> artificial sequence
<220>
<223> Oligonucleotide as PCR primer; its 3'-portion designed from nucle
       otide sequence of the upstream region of sigH in Bacillus subtilis
       s and its 5'-portion designed from nucleotide sequence of sigA in
       Bacillus subtilis
<400> 11
cgtgggtttg tttatcagcc attccgatcc ccccggcgca cg 42
<210> 12
<211> 21
<212> DNA
<213> artificial sequence
<220>
<223> Oligonucleotide as PCR primer designed from nucleotide sequence o
       f the upstream region of sigF in Bacillus subtilis
<400> 12
gctgatagaa cgtgacacgg g 21
<210> 13
<211> 42
<212> DNA
<213> artificial sequence
<220>
<223> Oligonucleotide as PCR primer; its 3'-portion designed from nucle
       otide sequence of the upstream region of sigF in Bacillus subtili
       s and its 5'-portion designed from nucleotide sequence of sigA in
        Bacillus subtilis
<400> 13
cgtgggtttg tttatcagcc atgctcattc ctccttgata tg 42
<210> 14
<211> 19
<212> DNA
<213> artificial sequence
<220>
<223> Oligonucleotide as PCR primer designed from nucleotide sequence o
```

f plasmid pC194

```
<400> 14
caactaaagc acccattag 19
<210>
      15
<211>
      44
<212>
      DNA
<213>
      artificial sequence
<220>
      Oligonucleotide as PCR primer; its 3'-portion designed from nucle
<223>
       otide sequence of plasmid pC194 and its 5'-portion designed from
       nucleotide sequence of sigA in Bacillus subtilis
<400> 15
catttgcaaa tgaacattgt ggtgcttctt caactaacgg ggca 44
<210> 16
<211> 20
<212> DNA
<213>
       artificial sequence
<220>
       Oligonucleotide as PCR primer designed from nucleotide sequence o
<223>
       f sigA in Bacillus subtilis; the sequence containing a nucleotide
        substitution for destroying the initiation codon of sigA
<400> 16
atagctgata aacaaaccca 20
<210> 17
<211> 42
<212> DNA
<213> artificial sequence
<220>
<223>
       Oligonucleotide as PCR primer; its 3'-portion designed from nucle
       otide sequence of the upstream region of sigF in Bacillus subtili
       s and its 5'-portion designed from nucleotide sequence of sigA in
        Bacillus subtilis: the sequence containing a nucleotide substitu
       tion for destroying the initiation codon of sigA
<400> 17
cgtgggtttg tttatcagct atgctcattc ctccttgata tg 42
```

<210> 18

```
<211> 1795
<212>
      DNA
<213>
      Bacillus sp. KSM-K38
<220>
<221>
      CDS
<222>
       (212)...(1714)
<223>
<220>
<221>
      sig_peptide
<222>
       (212)...(274)
<223>
<220>
<221>
      mat_peptide
<222>
       (275).. (1714)
<223>
<400> 18
                                                                      60
caggocagoc aaagtagoca ccaactaagt aacatogatt caggataaaa gtatgogaaa
                                                                     120
cgatgcgcaa aactgcgcaa ctactagcac tcttcaggga ctaaaccacc ttttttccaa
aaatgacatc atataaacaa atttgtctac caatcactat ttaaagctgt ttatgatata
                                                                     180
                                                                     232
Met Arg Arg Trp Val Val Ala
                                      -20
                                                         -15
                                                                     280
atg ttg gca gtg tta ttt tta ttt cct tcg gta gta gtt gca gat gga
Met Leu Ala Val Leu Phe Leu Phe Pro Ser Val Val Val Ala Asp Gly
               -10
                                    -5
                                                                      328
ttg aac ggt acg atg atg cag tat tat gag tgg cat ttg gaa aac gac
Leu Asn Gly Thr Met Met Gln Tyr Tyr Glu Trp His Leu Glu Asn Asp
          5
                            10
                                                                      376
ggg cag cat tgg aat cgg ttg cac gat gat gcc gca gct ttg agt gat
Gly Gln His Trp Asn Arg Leu His Asp Asp Ala Ala Leu Ser Asp
     20
                        25
gct ggt att aca gct att tgg att ccg cca gcc tac aaa ggt aat agt
                                                                      424
Ala Gly lie Thr Ala lie Trp lie Pro Pro Ala Tyr Lys Gly Asn Ser
                                                           50
 35
                                        45
                                                                      472
cag gcg gat gtt ggg tac ggt gca tac gat ctt tat gat tta gga gag
Gin Ala Asp Val Gly Tyr Gly Ala Tyr Asp Leu Tyr Asp Leu Gly Glu
```

					55					60			•		65		
															gca Ala		520
															gta Val		568
															gag Glu		616
٧a															att Ile		664
															ggg Gly 145		712
															aat Asn		760
g V	tt al	gac Asp	tgg Trp 165	Asp	cag Gln	cgc Arg	tat Tyr	caa Gln 170	gaa Glu	aat Asn	cat His	att He	ttc Phe 175	cgc Arg	ttt Phe	gca Ala	808
			Asn										Gly		tat Tyr		856
T							He					Pro			caa Gin		904
g G	ag lu	ttg Leu	aag Lys	; gat ; Asp	tgg Trp 215	Gly	agc Ser	tgg Trp	ttt Phe	acc Thr 220	Asp	gag Glu	tta Leu	gat Asp	ttg Leu 225	gat Asp	952
					Asp					He					aca Thr		1000
															ttt Phe		1048

255

Asp Trp Val Arg His Gln Arg Asn Glu Ala Asp Gln Asp Leu Phe Val

250

						gat Asp 265							1096
						atg Met							1144
						caa GIn							1192
						gta Val							1240
						act Thr							1288
_	_	_				cca Pro 345							1336
_						gta Val							1384
						aaa Lys						gat Asp	 1432
			Asn	Tyr	Ala	tat Tyr	Gly	Gln			Asp		1480
			Val			act Thr				Arg			1528
		Leu				atg Met 425	Ser						1576
_	Tyr	_		_	_	aat Asn			Trp				1624

ggt aat aac gga gcg tcc gtt aca att aat ggc gat gga tgg ggc gaa Gly Asn Asn Gly Ala Ser Val Thr lle Asn Gly Asp Gly Trp Gly Glu 455 460 465	1672											
ttc ttt acg aat gga gga tct gta tcc gtg tac gtg aac caa taacaaaaa Phe Phe Thr Asn Gly Gly Ser Val Ser Val Tyr Val Asn Gln 470 475 480	1723											
gccttgagaa gggattcctc cctaactcaa ggctttcttt atgtcgctta gctttacgct												
tctacgactt tg	1795											
<210> 19 <211> 480 <212> PRT <213> Bacillus sp. KSM-K38												
<400> 19												
Asp Gly Leu Asn Gly Thr Met Met Gln Tyr Tyr Glu Trp His Leu Glu 1 5 10 15												
Asn Asp Gly Gln His Trp Asn Arg Leu His Asp Asp Ala Ala Ala Leu 20 25 30												
Ser Asp Ala Gly Ile Thr Ala Ile Trp Ile Pro Pro Ala Tyr Lys Gly 35 40 45 45												
Asn Ser Gin Ala Asp Val Gly Tyr Gly Ala Tyr Asp Leu Tyr Asp Leu 50 55 60												
Gly Glu Phe Asn Gln Lys Gly Thr Val Arg Thr Lys Tyr Gly Thr Lys 65 70 75 80												
Ala Gin Leu Giu Arg Ala ile Giy Ser Leu Lys Ser Asn Asp ile Asn 85 90 95												
Val Tyr Gly Asp Val Val Met Asn His Lys Met Gly Ala Asp Phe Thr 100 105 110												

Glu Ala Val Gln Ala Val Gln Val Asn Pro Thr Asn Arg Trp Gln Asp

lle Ser Gly Ala Tyr Thr lle Asp Ala Trp Thr Gly Phe Asp Phe Ser 

Gly Arg Asn Asn Ala Tyr Ser Asp Phe Lys Trp Arg Trp Phe His Phe 

Asn Gly Val Asp Trp Asp Gln Arg Tyr Gln Glu Asn His lle Phe Arg 

Phe Ala Asn Thr Asn Trp Asn Trp Arg Val Asp Glu Glu Asn Gly Asn 

Tyr Asp Tyr Leu Leu Gly Ser Asn Ile Asp Phe Ser His Pro Glu Val 

Gln Asp Glu Leu Lys Asp Trp Gly Ser Trp Phe Thr Asp Glu Leu Asp 

Leu Asp Gly Tyr Arg Leu Asp Ala Ile Lys His Ile Pro Phe Trp Tyr 

Thr Ser Asp Trp Val Arg His Gln Arg Asn Glu Ala Asp Gln Asp Leu 

Phe Val Val Gly Glu Tyr Trp Lys Asp Asp Val Gly Ala Leu Glu Phe 

Tyr Leu Asp Glu Met Asn Trp Glu Met Ser Leu Phe Asp Val Pro Leu 

Asn Tyr Asn Phe Tyr Arg Ala Ser Gln Gln Gly Gly Ser Tyr Asp Met 

Arg Asn Ile Leu Arg Gly Ser Leu Val Glu Ala His Pro Met His Ala 

Val Thr Phe Val Asp Asn His Asp Thr Gln Pro Gly Glu Ser Leu Glu 325 330 335

Ser Trp Val Ala Asp Trp Phe Lys Pro Leu Ala Tyr Ala Thr 11e Leu 340 345 350

Thr Arg Glu Gly Gly Tyr Pro Asn Val Phe Tyr Gly Asp Tyr Tyr Gly 355 360 365

lle Pro Asn Asp Asn lle Ser Ala Lys Lys Asp Met lle Asp Glu Leu 370 375 380

Leu Asp Ala Arg Gln Asn Tyr Ala Tyr Gly Thr Gln His Asp Tyr Phe 385 390 395 400

Asp His Trp Asp Val Val Gly Trp Thr Arg Glu Gly Ser Ser Ser Arg 405 410 415

Pro Asn Ser Gly Leu Ala Thr lle Met Ser Asn Gly Pro Gly Gly Ser 420 425 430

Lys Trp Met Tyr Val Gly Arg Gln Asn Ala Gly Gln Thr Trp Thr Asp 435 440 445

Leu Thr Gly Asn Asn Gly Ala Ser Val Thr lle Asn Gly Asp Gly Trp 450 455 460

Gly Glu Phe Phe Thr Asn Gly Gly Ser Val Ser Val Tyr Val Asn Gln 465 470 475 480

<210> 20

<211> 1441

<212> DNA

<213> Bacillus clausii KSM-K16

<220>

<221> CDS

<223> <400> 20 tggtagcttt ccccacttga aaccgtttta atcaaaaaac aaagtgggaa aattctgtta 60 acttaatgtt aataattgtt tcccaatagg caaatctttc taactttgat acgtttaaac 120 175 taccagcttg gacgagttgg gataaaagtg aggagggaac cga atg aag aaa ccg Met Lys Lys Pro 223 ttg ggg aaa att gtc gca agc acc gca cta ctc att tct gtt gct ttt Leu Gly Lys Ile Val Ala Ser Thr Ala Leu Leu Ile Ser Val Ala Phe 10 20 271 agt toa tog ato goa tog got got gag gaa goa aaa gaa aaa tat tta Ser Ser Ser Ile Ala Ser Ala Ala Glu Glu Ala Lys Glu Lys Tyr Leu 25 att ggc ttt aat gag cag gaa gca gtt agt gag ttt gta gag caa ata 319 lle Gly Phe Asn Gly Gln Gly Ala Val Ser Gly Phe Val Gly Gln lle 40 45 367 gag gca aat gac gat gtc gcg att ctc tct gag gaa gag gaa gtc gaa Giu Ala Asn Asp Asp Val Ala IIe Leu Ser Giu Giu Giu Giu Val Giu 55 60 65 415 att gaa ttg ctt cat gag ttt gaa acg att cct gtt tta tct gtt gag lle Glu Leu Leu His Glu Phe Glu Thr lle Pro Val Leu Ser Val Glu 70 tta agt cca gaa gat gtg gac gcg ctt gag ctc gat cca acg att tcg 463 Leu Ser Pro Glu Asp Val Asp Ala Leu Glu Leu Asp Pro Thr Ile Ser 90 100 85 tat att gaa gag gat gca gaa gta acg aca atg gcg caa tca gtg cca 511 Tyr lle Glu Glu Asp Ala Glu Val Thr Thr Met Ala Gln Ser Val Pro 105 110 559 tgg gga att agc cgt gta caa gcc cca gct gcc cat aac cgt gga ttg Trp Gly lle Ser Arg Val Gln Ala Pro Ala Ala His Asn Arg Gly Leu 120 125 130 aca ggt tot ggt gta aaa gtt gct gtc ctc gat acg ggt att tcc acc 607 Thr Gly Ser Gly Val Lys Val Ala Val Leu Asp Thr Gly lle Ser Thr 135 140

<222>

(164).. (1303)

cat cca gac tta aat att cgc ggt ggt gct agc ttt gtg cca gga gaa

His	Pro 150	Asp	Leu	Asn	He	Arg 155	Gly	Gly	Ala	Ser	Phe 160	Val	Pro	Gly	Glu	
	tcc Ser															703
	gct Ala															751
	gaa Glu															799
	agc Ser															847
	gtt Val 230											Ser				895
	caa GIn										Val					943
	tct Ser									Ser				Arg		991
	aac Asn			Ala					Asp					Arg		1039
	ttt Phe		Gln					Leu					Pro		gtc Val	1087
	gtg Val 310	Gln					Gly					Ser			ggt Gly	1135
	Ser					His					Ala				aaa Lys 340	1183
															aag Lys	1231

345 350 355

aat acg gca acg ggt tta gga aac acg aac ttg tat gga agc ggg ctt 1279 Asn Thr Ala Thr Gly Leu Gly Asn Thr Asn Leu Tyr Gly Ser Gly Leu 360 365 370

gtc aat gca gaa gcg gca aca cgc taatcaataa taataacgct gtgtgcttta 1333 Val Asn Ala Glu Ala Ala Thr Arg 375 380

agcacacagc gtttttagt gtgtatgaat cgaaaaagag aaatagatcg ctgatttcaa 1393

aaagcgagcg taaagggcta ttgaagctct ttacgcttgc aggatttg 1441

<210> 21

<211> 380

<212> PRT

<213> Bacillus clausii KSM-K16

<400> 21

Met Lys Lys Pro Leu Gly Lys lle Val Ala Ser Thr Ala Leu Leu lle 1 5 10 15

Ser Val Ala Phe Ser Ser Ser IIe Ala Ser Ala Ala Glu Glu Ala Lys 20 25 30

Glu Lys Tyr Leu lle Gly Phe Asn Glu Gln Glu Ala Val Ser Glu Phe 35 40 45

Val Glu Gin IIe Glu Ala Asn Asp Asp Val Ala IIe Leu Ser Glu Glu 50 55 60

Glu Glu Val Glu Ile Glu Leu Leu His Glu Phe Glu Thr Ile Pro Val 65 70 75 80

Leu Ser Val Glu Leu Ser Pro Glu Asp Val Asp Ala Leu Glu Leu Asp 85 90 95

Pro Thr lle Ser Tyr lle Glu Glu Asp Ala Glu Val Thr Thr Met Ala 100 105 110 Gln Ser Val Pro Trp Gly lle Ser Arg Val Gln Ala Pro Ala Ala His 115 120 125

Asn Arg Gly Leu Thr Gly Ser Gly Val Lys Val Ala Val Leu Asp Thr 130 135 140

Gly lle Ser Thr His Pro Asp Leu Asn lle Arg Gly Gly Ala Ser Phe 145 150 155 160

Val Pro Gly Glu Pro Ser Thr Gln Asp Gly Asn Gly His Gly Thr His 165 170 175

Val Ala Gly Thr lle Ala Ala Leu Asn Asn Ser lle Gly Val Leu Gly 180 185 190

Val Ala Pro Ser Ala Glu Leu Tyr Ala Val Lys Val Leu Gly Ala Ser 195 200 205

Gly Ser Gly Ser Val Ser Ser IIe Ala Gln Gly Leu Glu Trp Ala Gly 210 215 220

Asn Asn Gly Met His Val Ala Asn Leu Ser Leu Gly Ser Pro Ser Pro 225 230 235 240

Ser Ala Thr Leu Glu Gln Ala Val Asn Ser Ala Thr Ser Arg Gly Val 245 250 255

Leu Val Val Ala Ala Ser Gly Asn Ser Gly Ala Gly Ser lle Ser Tyr 260 265 270

Pro Ala Arg Tyr Ala Asn Ala Met Ala Val Gly Ala Thr Asp Gln Asn 275 280 285

Asn Asn Arg Ala Ser Phe Ser Gln Tyr Gly Ala Gly Leu Asp lle Val 290 295 300 Ala Pro Gly Val Asn Val Gln Ser Thr Tyr Pro Gly Ser Thr Tyr Ala 305 310 315 320

Ser Leu Asn Gly Thr Ser Met Ala Thr Pro His Val Ala Gly Val Ala 325 330 335

Ala Leu Val Lys Gln Lys Asn Pro Ser Trp Ser Asn Val Gln lle Arg 340 345 350

Asn His Leu Lys Asn Thr Ala Thr Gly Leu Gly Asn Thr Asn Leu Tyr 355 360 365

Gly Ser Gly Leu Val Asn Ala Glu Ala Ala Thr Arg 370 375 380

<210> 22

<211> 46

<212> DNA

<213> Artificial

<220>

<223> Oligonucleotide as PCR primer; its 3'-portion designed from nucle otide sequence of the alkaline protease gene in Bacillus clausii KSM-K16 and its 5'-portion designed from nucleotide sequence of the upstream region of the alkaline cellulase gene in Bacillus sp. KSM-S237

<400> 22

actttaaaaa tatttaggag gtaatatgaa gaaaccgttg gggaaa

46

<210> 23

<211> 32

<212> DNA

<213> Artificial

<220>

<223> Oligonucleotide as PCR primer designed from nucleotide sequence of the downstream region of the alkaline protease gene in Bacillus clausii KSM-K16 with a insertion of the BgIII restriction site a t the 5'-end

<400> 23

gggagatett cagegateta tttetettt te

<210> 24

<211> 25

<212> DNA

<213> Artificial

<220>

<223> Oligonucleotide as PCR primer designed from nucleotide sequence of the upstream region of the alkaline cellulase gene in Bacillus sp. KSM-S237 with a insertion of the BamHI restriction site at the 5'-end

<400> 24
cccggatcca acaggcttat attta

25

<210> 25

<211> 46

<212> DNA

<213> Artificial

<220>

<223> Oligonucleotide as PCR primer; its 3'-portion designed from nucle otide sequence of the upstream region of the alkaline cellulase g ene in Bacillus sp. KSM-S237 and its 5'-portion designed from nucleotide sequence of the alkaline protease gene in Bacillus clausi i KSM-K16

<400> 25

tttccccaac ggtttcttca tattacctcc taaatatttt taaagt

46

<210> 26

<211> 30

<212> DNA

<213> Artificial

1 1.....

<220>

<223> Oligonucleotide as PCR primer; its 3'-portion designed from nucle otide sequence of the alkaline amylase gene in Bacillus sp. KSM-K 38 and its 5'-portion designed from nucleotide sequence of the alkaline cellulase gene in Bacillus sp. KSM-S237

<400> 26

gctcttgcag cagatggatt gaacggtacg

<210> 27

<211> 30

<212> DNA

<213> Artificial

<220>

<223> Oligonucleotide as PCR primer designed from nucleotide sequence of the downstream region of the alkaline amylase gene in Bacillus sp. KSM-K38 with a insertion of the Xbal restriction site at the 5'-end

<400> 27

ttggtctaga ccccaagctt caaagtcgta

30

<210> 28

<211> 29

<212> DNA

<213> Artificial

<220>

<223> Oligonucleotide as PCR primer: its 3'-portion designed from nucle otide sequence of the alkaline cellulase gene in Bacillus sp. KSM -S237 and its 5'-portion designed from nucleotide sequence of the alkaline amylase gene in Bacillus sp. KSM-K38

<400> 28

ttcaatccat ctgctgcaag agctgccgg